

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)

2. REPORT TYPE

Technical Paper

3. DATES COVERED (From - To)

4. TITLE AND SUBTITLE

5a. CONTRACT NUMBER

5b. GRANT NUMBER

5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)

5d. PROJECT NUMBER

5e. TASK NUMBER

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

8. PERFORMING ORGANIZATION REPORT

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

10. SPONSOR/MONITOR'S ACRONYM(S)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

11. SPONSOR/MONITOR'S NUMBER(S)

12. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

20030129 225

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:

17. LIMITATION OF ABSTRACT

18. NUMBER OF PAGES

19a. NAME OF RESPONSIBLE PERSON

a. REPORT

b. ABSTRACT

c. THIS PAGE

Unclassified

Unclassified

Unclassified

A

19b. TELEPHONE NUMBER

(include area code)
(661) 275-5015

2303MAC8

MEMORANDUM FOR PRS (In-House/Contractor Publication)

FROM: PROI (STINFO)

01 Mar 2001

SUBJECT: Authorization for Release of Technical Information, Control Number: **AFRL-PR-ED-TP-2001-042**
Vij, Ashwani (ERC); Wilson, W. J., et al., "Polynitrogen Chemistry, Synthesis, Characterization, and
Crystal Structure of Surprisingly Stable Fluorantimonate Salts of N_5^{+} "

Journal of American Chemical Society
(Deadline: N/A)

(Statement A)

Polynitrogen Chemistry. Synthesis, Characterization, and Crystal Structure of Surprisingly Stable Fluoroantimonate Salts of N_5^+

Ashwani Vij,[†] William W. Wilson,[†] Vandana Vij,[†] Fook S. Tham,[§] Jeffrey A. Sheehy,[†]
and Karl O. Christe,^{*†‡}

Propulsion Sciences and Advanced Concepts Division, Air Force Research Laboratory
(AFRL/PRS), Edwards AFB, California 93524, Loker Hydrocarbon Research Institute
and Department of Chemistry, University of Southern California, Los Angeles, CA
90089, and Department of Chemistry, University of California, Riverside, CA 92521

Abstract

The new N_5^+ salt, $N_5^+SbF_6^-$, was prepared from $N_2F^+SbF_6^-$ and HN_3 in anhydrous HF solution. The white solid is surprisingly stable, decomposing only at 70 °C, and is relatively insensitive to impact. Its vibrational spectrum exhibits all nine fundamentals with frequencies that are in excellent agreement with the theoretical calculations for a five-atomic V-shaped ion of C_{2v} symmetry. The $N_5^+Sb_2F_{11}^-$ salt was also prepared and its crystal structure was determined. The geometry previously predicted for free gaseous N_5^+ from theoretical calculations was confirmed within experimental error. The $Sb_2F_{11}^-$ anions exhibit an unusual geometry with eclipsed SbF_4 groups due to inter-ionic bridging with the N_5^+ cations. The N_5^+ cation is a powerful one-electron oxidizer. Its electron affinity falls between 11.0 and 12.08 eV because it readily oxidizes NO to NO^+ and NO_2 to NO_2^+ but fails to oxidize Xe or O_2 .

in even
margin
or were
on centering
his?)

Introduction

The recent discovery of $\text{N}_5^+\text{AsF}_6^-$ as a marginally stable compound that can be prepared on a macroscopic scale is quite remarkable.¹ It represented only the third readily accessible homoleptic polynitrogen compound besides N_2 and N_3^- and as such has received much public acclaim.² Since N_5AsF_6 is only marginally stable and had given rise to some explosions,¹ it was of great interest to search for more stable N_5^+ salts in order to allow a more thorough characterization of this fascinating cation and to provide a suitable starting material for the pursuit of nitrogen allotropes. In this paper, the synthesis and characterization of surprisingly stable fluoroantimonate salts of N_5^+ and the crystal structure of $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$ are reported.

Experimental

Caution! HN_3 , azides and polynitrogen compounds are highly endothermic and can decompose explosively. They should be handled only on a small scale with appropriate safety precautions (face shields, leather gloves, and protective clothing). Condensation of neat HN_3 at -196°C into Teflon ampoules containing oxidizers has repeatedly resulted in explosions upon condensation or melting of the HN_3 .

Materials and Apparatus. All reactions were carried out in $\frac{3}{4}$ inch o. d. Teflon-FEP or -PFA ampoules that contained Teflon coated magnetic stirring bars and were closed by stainless steel valves. Volatile materials were handled on a stainless steel / Teflon-FEP vacuum line.³ Nonvolatile solids were handled in the dry nitrogen atmosphere of a glove box. HN_3 was generated and handled on a Pyrex glass vacuum line

equipped with grease-free Kontes glass-Teflon valves. Infrared spectra were recorded on a Mattson Galaxy FT-IR spectrometer using dry powders pressed between AgCl windows in an Econo press (Barnes Engineering Co.). Raman spectra were recorded on a Bruker Equinox 55 FT-RA spectrometer using a Nd-Yag laser at 1064 nm and Pyrex melting point capillaries as sample containers. The thermal stabilities were determined using a DuPont Model 910 DSC, crimp-sealed aluminum pans as sample containers, and heating rates of 3 °C/min. The data were recorded and analyzed with a DuPont Model 2000 thermal analyst. Impact sensitivities were measured on an Olin Mathieson drop weight tester standardized with RDX (hexahydro-1,3,5-trinitro-1,3,5-triazine, 30 kg·cm, 50 %).

The $\text{N}_2\text{F}^+\text{SbF}_6^-$ and $\text{N}_2\text{F}^+\text{Sb}_2\text{F}_{11}^-$ starting materials were prepared from *cis*- N_2F_2 and SbF_5 in anhydrous HF solution as previously described.⁴⁻⁷ The HF (Matheson Co.) was dried by storage over BiF_5 (Ozark Mahoning).⁸ The NO and NO_2 (Matheson Co) were purified by fractional condensation prior to their use. The O_2 and Xe (Matheson Co) were used as received. The preparation of HN_3 has previously been described.¹

Preparation of $\text{N}_5^+\text{SbF}_6^-$. A Teflon ampoule, equipped with a stainless steel valve and containing a Teflon-coated magnetic stirring bar, was passivated with ClF_3 . It was attached to the metal vacuum line and treated several times with anhydrous HF until no color was observed upon freezing the HF at -196 °C. It was then loaded with $\text{N}_2\text{F}^+\text{SbF}_6^-$ (4.97 mmol) in the glove box and attached to the metal vacuum line. The ampoule was evacuated and cooled to -196 °C. Anhydrous HF (~2 mL) was then condensed into the ampoule and its contents were allowed to warm to ambient temperature with occasional stirring. After all the $\text{N}_2\text{F}^+\text{SbF}_6^-$ had dissolved, the ampoule

was re-cooled to $-196\text{ }^{\circ}\text{C}$ and some additional neat HF was condensed onto the upper walls of the tube where the HN_3 was going to be frozen out. The cold ampoule was then connected to the glass line, and HN_3 (5.00 mmol) was added slowly at $-196\text{ }^{\circ}\text{C}$. The reaction mixture was allowed to warm slowly behind a safety shield to room temperature and kept at this temperature for about 45 min. The volatile materials were removed by pumping for several hours at $20\text{ }^{\circ}\text{C}$, leaving behind a white powder (1.502 g, weight calcd for 4.97 mmol of $\text{N}_5\text{SbF}_6 = 1.520\text{ g}$) that was identified by its vibrational spectra as N_5SbF_6 .

This reaction was also carried out by first condensing HN_3 at $-196\text{ }^{\circ}\text{C}$ into a prepassivated and preweighed Teflon ampoule containing a known amount of HF. The resulting mixture was homogenized at ambient temperature. The ampoule was taken into the glove box, where a stoichiometric amount of $\text{N}_2\text{F}^+\text{SbF}_6^-$ was added at $-196\text{ }^{\circ}\text{C}$. The cold ampoule was attached to the metal vacuum line and evacuated. Subsequent slow warming of the reaction mixture to room temperature for about 30 min, followed by removal of all volatile material resulted in the isolation of $\text{N}_5^+\text{SbF}_6^-$ in >99% yield.

Preparation of $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$. Freshly distilled SbF_5 (1.449 mmol) was added in the glove box to a prepassivated Teflon-FEP ampoule, and HF (1.9 mL liquid) was added on the metal vacuum line at $-196\text{ }^{\circ}\text{C}$. The mixture was homogenized at room temperature and taken back into the glove box. The ampoule was cooled inside the glove box to $-196\text{ }^{\circ}\text{C}$ and opened, and $\text{N}_5^+\text{SbF}_6^-$ (1.444 mmol) was added. The resulting mixture was allowed to warm to room temperature, and all volatile material was pumped off. The white solid residue (758 mg, weight calcd. for 1.444 mmol of $\text{N}_5^+\text{Sb}_2\text{F}_{11}^- = 755\text{ mg}$) was shown by vibrational spectroscopy to consist of $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$.

Reactions of $N_5^+SbF_6^-$ with NO, NO₂, O₂ or Xe. In a typical experiment, a .5 inch Teflon-FEP ampoule, that was closed by a Teflon valve, was loaded in the dry-box with $N_5^+SbF_6^-$ (.53 mmol) . On the vacuum line, NO (4.2 mmol) was added at -196 °C and the contents of the ampoule were allowed to warm slowly with intermittent cooling to room temperature. After keeping the ampoule for 2 hr at room temperature, it was cooled back to -196 °C and the volatile gas (1.34 mmol of N₂) was measured and pumped off. The amount of unreacted NO was measured (3.6 mmol) and pumped off at room temperature, leaving behind .53 mmol of NO⁺SbF₆⁻ that was identified by vibrational spectroscopy.

In a similar manner, $N_5^+SbF_6^-$ was found to react quantitatively with NO₂, but no reaction was observed with either Xe or O₂.

Crystal structure determination of $N_5^+Sb_2F_{11}^-$. About 1 mL of anhydrous SO₂ was condensed onto 0.200 g of N_5SbF_6 at -196 °C in a ½ inch o. d. sapphire tube (Tyco Corp.) closed by a stainless steel valve. The contents of the tube were warmed to -78 °C causing all of the N_5SbF_6 to dissolve and form a pale yellowish solution. Anhydrous SO₂ClF (~1.5 mL) was then slowly condensed onto this solution under vacuum. The solvents were then slowly removed under a static vacuum at -64 °C over a period of ~16 hours leaving behind plate-like colorless crystals. These crystals were extremely reactive to perfluoropolyether oil and showed an instantaneous evolution of nitrogen gas. The majority of the crystals were very soft and difficult to handle, but a few crystals appeared to exhibit a different habit and better mechanical strength. One of these crystals was immersed in halocarbon grease and mounted on the goniometer head using a precentered Nylon Cryoloop equipped with a magnetic base. The structure of the salt was determined

using a Bruker diffractometer equipped with a CCD detector and a low temperature, LT3, device. The 3-circle platform with a fixed χ -axis was controlled by the SMART⁹ software package. The unit cell parameters were determined at $-60\text{ }^{\circ}\text{C}$ from three runs of data with 30 frames per run using a scan speed of 30-seconds per frame. A complete hemisphere of data was collected, using 1271 frames at 30 sec/frame, including 50 frames that were collected at the beginning and end of the data collection to monitor crystal decay. Data were integrated using the SAINT¹⁰ software package, and the raw data was corrected for absorption using the SADABS¹¹ program. The absence of $h + k = \text{odd}$ and $h0l$ reflections ($l = \text{odd}$) shows the presence of a C -centered lattice and a c -glide plane parallel and perpendicular to the b -axis, respectively, indicating Cc or $C2/c$ as the likely space groups. The intensity statistics, E^2-1 values, indicated a centrosymmetric space group thereby excluding Cc as a possible space group. The space group was thus unambiguously assigned as $C2/c$. The structure was solved by the Patterson method using the SHELXS-97¹² program and refined by the least squares method on F^2 using SHELXL-97.¹³ The initial Patterson map revealed the position of the two Sb atoms linked by a fluorine atom. The remaining atoms were located from subsequent difference electron density maps and finally refined anisotropically by the least-squares method on F^2 using the SHELXTL¹⁴ 5.1 software for Windows NT. The crystal did not show any significant decomposition during the data collection. The experimental and refinement parameters, and the atomic coordinates and thermal displacement parameters are listed in Tables 1 and 2, respectively.

Results and Discussion

Synthesis and Properties of $N_5^+SbF_6^-$. The synthesis of $N_5^+SbF_6^-$ was carried out in the same manner as previously reported¹ for $N_5^+AsF_6^-$ by reacting $N_2F^+SbF_6^-$ with HN_3 in anhydrous HF solution at $-78^\circ C$, followed by removal of the volatile products at room temperature.




The yield of $N_5^+SbF_6^-$ is essentially quantitative and the product purity is high. It is essential that the reaction system is completely anhydrous as water hydrolyzes the N_5^+ salt generating free SbF_5 which in combination with HF protonates HN_3 under formation of $H_2N_3^+SbF_6^-$.¹⁵

The $N_5^+SbF_6^-$ salt is a colorless hygroscopic solid that is stable at ambient temperature and, based on the DSC data, starts to decompose at $70^\circ C$. It is surprisingly insensitive to impact. Even at the maximum setting of our apparatus (200 kg-cm), only partial thermal decomposition due to adiabatic heating of the sample but no explosions were observed. The salt is soluble in and compatible with HF, SO_2 , and CHF_3 .

The oxidizing properties of $N_5^+SbF_6^-$ were examined in the solid state and in HF solution by exposing it to 2 atmospheres of either oxygen or xenon gas between $-78^\circ C$ and ambient temperature. No oxidations to O_2^+ and Xe_2^+ , respectively, were observed under these conditions, showing that the electron affinity of N_5^+ is lower than the first ionization potential of xenon (12.08 eV), *i. e.*, N_5^+ is a weaker oxidizer than either PtF_6 that can oxidize O_2 to O_2^+ ¹⁶ or O_2^+ that can oxidize Xe to Xe_2^+ under similar conditions.^{17,18} In spite of the first ionization potential of N_2 (15.51 eV) being 3.01 eV higher than that of O_2 (12.5 eV), the electron affinity of N_5^+ is lower than that of O_2^+

because in N_5^+ the positive charge is spread over a larger number of atoms, thereby decreasing its oxidizing power. However, it was found that N_5^+ can quantitatively oxidize either NO (1. IP = 9.5 eV) or NO_2 (1. IP = 11.0 eV) according to:




and



Therefore the electron affinity of N_5^+ must have a value between 11.0 and 12.08 eV, rendering it a very strong one-electron oxidizer. Although it is not quite as powerful as PtF_6 or O_2^+ salts, it offers the great advantage of not acting as a fluorinating or oxygenating agent, which can be a very important consideration when dealing with substrates that are easily fluorinated or oxygenated.

Ongoing studies in our laboratory show that the potential hazards of handling neat HN_3 in the synthesis of N_5^+ can be avoided by either replacing HN_3 with the insensitive $(CH_3)_3SiN_3$ or generating the desired HN_3 from a weighed amount NaN_3 and excess HF in a separate ampoule and transferring all volatiles into the reaction vessel containing an HF solution of $N_2F^+SbF_6^-$. The reactions with $(CH_3)_3SiN_3$ are carried out in either HF or SO_2 solution and produce N_5^+ in high yield. When HF is used as the solvent, the first reaction step most certainly involves the formation of $(CH_3)_3SiF$ and HN_3 , *i. e.*, HN_3 is generated *in situ* in the reactor.

Synthesis and Properties of $N_5^+Sb_2F_{11}^-$. To preclude a potential side reaction of $Sb_2F_{11}^-$ with HF and HN_3 to give SbF_6^- and $H_2N_3^+SbF_6^-$, a sample of $N_5^+SbF_6^-$ was reacted with an equimolar amount of SbF_5 in HF solution at room temperature.




The resulting $N_5^+Sb_2F_{11}^-$ salt is a colorless solid that is stable at room temperature and undergoes, according to its DSC data, thermal decomposition at 70 °C, *i. e.*, its thermal stability is comparable to that of $N_5^+SbF_6^-$ but, contrary to $N_5^+SbF_6^-$, it undergoes a reversible endotherm (melting) at about 30 °C. Consequently, the replacement of SbF_6^- by $Sb_2F_{11}^-$ did not result in increased thermal stability and does not appear to offer any significant advantages for studying the reaction chemistry of N_5^+ salts.


Crystal Structure of $N_5^+Sb_2F_{11}^-$. The structure of $N_5^+Sb_2F_{11}^-$ is shown in Fig. 1-4 and the important bond lengths and angles are summarized in Table 3. The observed V-shaped geometry of the N_5^+ cation is in excellent agreement with the theoretical predictions¹ for the free gaseous N_5^+ cation at the B3LYP level of theory with the calculated terminal and central N-N bond distances of 1.11 and 1.30 Å being close to the observed ones of 1.105(19) and 1.299(19) Å, respectively. Furthermore, the terminal N-N distance of 1.105(19) Å in N_5^+ is only slightly longer than that of 1.089(9) Å found for N_2F^+ in $N_2F^+Sb_2F_{11}^-$,¹⁹ and compares well with the N-N bond distances of 1.0976(2) Å in N_2 ²⁰ and 1.0927 Å found in HN_2^+ ,^{21,22} indicating that these bonds approximate triple bonds. The central N-N bond length of 1.299(19) Å in N_5^+ is somewhat longer than those found for typical N-N double bonds (1.17 to 1.25 Å), but is significantly shorter than those found for typical N-N single bonds (1.43 to 1.75 Å).²³ Also, the agreement between

calculated [112.3 and 166.7°] and observed [111.2(11) and 167.2(15)°, respectively] bond angles is very good.

The observed geometry supports the previously given rationale¹ that the exceptional stability of N_5^+ is largely due to resonance stabilization, resulting in relatively high bond orders for all the bonds. The bonding in N_5^+ can be described by the following three resonance structures:



Although the relative contributions from (I) and the equivalent pair, (II) and (III), are unknown, the calculated charge distributions at the NBO(B3LYP/aug-cc-pVDZ) level²⁴



and the relative shielding of the N-nmr signals (the shielding increases from the terminal nitrogen to the β -nitrogen to the central nitrogen in accord with the calculated charge distributions)¹ strongly indicate that the terminal and the β -nitrogen atoms carry the positive charges and the central nitrogen a small negative one.

A least-squares-plane analysis for N_5^+ shows that the cation is essentially planar. The N2 atom exhibits a maximum deviation of 0.11 Å from the average mean plane that shows a root mean square deviation of 0.0058 Å. The N_5^+ mean plane is almost

perpendicular (78.1°) to the plane containing the F5-Sb1-F6-Sb2-F11 atoms. The latter is also almost perfectly planar and shows a root mean square deviation of 0.014 \AA .

The geometry of the $\text{Sb}_2\text{F}_{11}^-$ anion also deserves a special comment. This anion is known to possess little rigidity and can exist in either an eclipsed or staggered conformation and exhibit a wide range of Sb-F-Sb bridge angles, depending upon the counter ion present in the crystal lattice.²⁵ The eclipsed conformation is rare but has previously also been observed for $\text{BrF}_4^+\text{Sb}_2\text{F}_{11}^-$.¹⁹ In the latter compound, the eclipsed structure results from a packing effect in which one equatorial fluorine ligand of each antimony atom of $\text{Sb}_2\text{F}_{11}^-$ bridges to a different BrF_4^+ cation. Since the two BrF_4^+ cations and the $\text{Sb}_2\text{F}_{11}^-$ anion are coplanar, the bridging equatorial fluorine ligands around the antimonies become also coplanar resulting in the eclipsed configuration. The eclipsed conformation of the $\text{Sb}_2\text{F}_{11}^-$ anion found for $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$ (Fig. 2) is also due to fluorine bridging but results from N_5^+ acting as a spacer between the two equatorial SbF_4 units of $\text{Sb}_2\text{F}_{11}^-$ (Fig. 3). In accord with the resonance structures and the calculated charge distributions of N_5^+ (see above), the positively charged β -nitrogen atoms interact with the negatively charged fluorine ligands forming bridges that are shorter than the sum of the van der Waals radii of 3.0 \AA (Figures 2-4). Thus, N2 and N4 straddle the two eclipsed fluorine atoms, F2 and F8, but since the N_5^+ plane is not perfectly perpendicular to the $\text{F}_{\text{ax}}\text{-Sb-F-Sb-F}_{\text{ax}}$ plane, the $\text{N2-F8} = 2.723(15) \text{ \AA}$ and $\text{N4-F2} = 2.887(16) \text{ \AA}$ distances are somewhat shorter than those of $\text{N2-F2} = 3.032(16) \text{ \AA}$ and $\text{N4-F8} = 2.993(16) \text{ \AA}$. In addition, N2 and N4 bridge to two fluorine atoms from other $\text{Sb}_2\text{F}_{11}^-$ anions with $\text{N4-F4B} = 2.813(15) \text{ \AA}$ and $\text{N2-F10A} = 2.768(15) \text{ \AA}$. In contrast to $\text{BrF}_4^+\text{Sb}_2\text{F}_{11}^-$, which has an

almost linear Sb-F-Sb bridge angle of 175° ,¹⁹ that of $155.0(4)^\circ$ in $N_5^+Sb_2F_{11}^-$ is much closer to those usually found for $Sb_2F_{11}^-$.²⁵

Vibrational Spectra of N_5^+ . The infrared and Raman spectra of solid $N_5^+SbF_6^-$ are shown in Figures 5 and 6, respectively. The experimentally observed frequencies of $N_5^+SbF_6^-$, $N_5^+Sb_2F_{11}^-$, and $N_5^+AsF_6^-$, together with their assignments, are listed in Table 4. A comparison of the observed and calculated frequencies and intensities of N_5^+ is given in Table 5. As can be seen, the previously missing¹ remaining 4 fundamental vibrations and numerous combination bands of N_5^+ have been observed and are in excellent agreement with the theoretical predictions for point group C_{2v} . The splittings observed for $\nu_8(B_2)$ and $\nu_2(A_1)$ can be accounted for by Fermi resonance. The presence of $Sb_2F_{11}^-$ impurities in the SbF_6^- salt can be readily detected by Raman bands at 692, 598, and 231 cm^{-1} and infrared bands at 708 and 497 cm^{-1} that are characteristic for $Sb_2F_{11}^-$ and do not overlap with the SbF_6^- bands.

Conclusion

The synthesis and thorough characterization of $N_5^+SbF_6^-$ and $N_5^+Sb_2F_{11}^-$ demonstrate that the N_5^+ cation can form exceptionally stable salts with fluoroantimonate anions and that these salts are surprisingly insensitive to impact. The N_5^+ cation is a powerful one-electron oxidizer with an electron affinity between 11.0 and 12.08 eV while not giving rise to undesirable fluorination or oxygenation side-reactions. The ready availability of a stable polynitrogen cation in addition to the long known azide anion opens a venue to neutral polynitrogen compounds and may provide the basis for the first synthesis of nitrogen allotropes.

Acknowledgements

The authors thank the Defense Advanced Research Project Agency, the U. S. Air Force Office of Scientific Research, and the National Science Foundation for financial support and Drs. T. Schroer, S. Schneider, N. Maggiorosa, and M. Gerken from the University of Southern California for experimental support and stimulating discussions.

Supporting Information Available

Tables of structure determination summary, atomic coordinates, bond lengths and angles and anisotropic displacement parameters of $\text{N}_5\text{Sb}_2\text{F}_{11}$ in CIF format. This material is available free of charge via the internet at <http://pubs.acs.org>.

[†] Air Force Research Laboratory

[‡] University of Southern California

[§] University of California, Riverside

References

- (1) Christe, K. O.; Wilson, W. W.; Sheehy, J. A.; Boatz, J. A. *Angew. Chem., Int. Ed. Engl.* **1999**, *38*, 2004.
- (2) See, for example, *Chem. Eng. News*, Jan. 25, 1999, pg.7; Nov. 29, 1999, pg.38; Aug. 14, 2000, pg. 41.
- (3) Christe, K. O.; Wilson, W. W.; Schack, C. J.; Wilson, R. D. *Inorg. Synth.* **1986**, *24*, 39.
- (4) Ruff, J. K. *Inorg. Chem.* **1966**, *5*, 1971.
- (5) Roesky, H. W.; Glemser, O.; Bormann, D. *Chem. Ber.* **1966**, *99*, 1589.
- (6) Pankratov, V. A.; Savenkova, N. I. *Zhur. Neorg. Khim.* **1968**, *13*, 2610.
- (7) Christe, K. O.; Wilson, R. D.; Sawodny, W. *J. Mol. Structure* **1971**, *8*, 245.
Christe, K. O.; Wilson, R. D.; Wilson, W. W.; Bau, R.; Sukumar, S.; Dixon, D. A. *J. Am. Chem. Soc.* **1991**, *113*, 1991.
- (8) Christe, K. O.; Wilson, W. W.; Schack, C. J. *J. Fluorine Chem.* **1978**, *11*, 71.
- (9) SMART V 4.045 Software for the CCD Detector System, Bruker AXS, Madison, WI (1999).
- (10) SAINT V 4.035 Software for the CCD Detector System, Bruker AXS, Madison, WI (1999).

- (11) SADABS, Program for absorption correction for area detectors, Version 2.01, Bruker AXS, Madison, WI (2000).
- (12) Sheldrick, G. M. SHELXS-97, Program for the Solution of Crystal Structure, University of Göttingen, Germany, 1997.
- (13) Sheldrick, G. M. SHELXL-97, Program for the Refinement of Crystal Structure, University of Göttingen, Germany, 1997.
- (14) SHELXTL 5.10 for Windows NT, Program library for Structure Solution and Molecular Graphics, Bruker AXS, Madison, WI (1997).
- (15) Christe, K. O.; Wilson, W. W.; Dixon, D. A.; Khan, S. I.; Bau, R.; Metzenthin, T.; Lu, R. *J. Am. Chem. Soc.* **1993**, *115*, 1836.
- (16) Bartlett, N.; Lohmann, D. H.; *Proc. Chem. Soc. (London)* **1962**, 277; *J. Chem. Soc.* **1962**, 5253.
- (17) Stein, L.; Norris, J. R.; Downs, A. J.; Minihan, A. R. *J. Chem. Soc. Chem. Commun.* **1978**, 502.
- (18) Stein, L.; Henderson, W. W. *J. Am. Chem. Soc.* **1980**, *102*, 2856.
- (19) Vij, A.; Vij, V.; Tham, F.; Christe, K. O. unpublished results.
- (20) Huber, K. P.; Herzberg, G. *Constants of Diatomic Molecules*; Van Nostrand Reinhold: New York, 1979.
- (21) Owrutsky, J. C.; Gudeman, C. S.; Martner, C. C.; Tack, L. M.; Rosenbaum, N. H.; Saykally, R. J. *J. Phys. Chem.* **1986**, *84*, 605.
- (22) Botschwina, P. *Chem. Phys. Lett.* **1984**, *107*, 535.
- (23) Greenwood, N. N.; Earnshaw, A. *Chemistry of the Elements*, 2nd ed.; Butterworth, Heinemann: Oxford, 1998.

- (24) Fau, S.; Bartlett, R. J. private communication.
- (25) Aubke, F.; Willner, H. Paper C3, presented at the 16th International Symposium on Fluorine Chemistry, Durham, U.K., July 15-20, 2000.

Table 1. Crystal data and structure refinement for $N_5^+Sb_2F_{11}^-$

Identification code	$N_5^+Sb_2F_{11}^-$	
Empirical formula	F11 N5 Sb2	
Formula weight	522.55	
Temperature	213(2) K	
Wavelength	0.71073 Å	
Crystal system	Monoclinic	
Space group	C2/c	
Unit cell dimensions	$a = 10.913(8)$ Å	$\alpha \neq 90^\circ$.
	$b = 12.654(8)$ Å	$\beta \neq 104.715(18)^\circ$.
	$c = 16.675(11)$ Å	$\gamma \neq 90^\circ$.
Volume	$2227(3)$ Å ³	
Z	8	
Density (calculated)	3.117 Mg/m ³	
Absorption coefficient	4.995 mm ⁻¹	
F(000)	1888	
Crystal size	0.26 x 0.10 x 0.05 mm ³	
Theta range for data collection	2.51 to 25.35°.	
Index ranges	-12 ≤ h ≤ 13, -15 ≤ k ≤ 15, -20 ≤ l ≤ 17	
Reflections collected	9125	
Independent reflections	2022 [R(int) = 0.0629]	
Absorption correction	Sadabs	
Max. and min. transmission	0.7883 and 0.3567	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	2022 / 0 / 164	
Goodness-of-fit on F ²	1.122	
Final R indices [I > 2σ(I)]	R1 = 0.0678, wR2 = 0.1913	
R indices (all data)	R1 = 0.0785, wR2 = 0.2019	
Extinction coefficient	0.00026(18)	
Largest diff. peak and hole	4.329 and -2.102 e.Å ⁻³	

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	$U(\text{eq})$
Sb(1)	2327(1)	5268(1)	5963(1)	32(1)
Sb(2)	1229(1)	2343(1)	6199(1)	28(1)
F(1)	930(11)	5546(9)	6373(7)	65(3)
F(2)	3187(10)	4839(8)	7017(5)	59(3)
F(3)	3652(9)	4765(7)	5561(6)	48(2)
F(4)	1368(9)	5453(7)	4889(5)	51(2)
F(5)	2906(11)	6638(7)	6101(6)	64(3)
F(6)	1691(8)	3755(6)	5813(5)	43(2)
F(7)	-17(9)	3062(8)	6548(6)	53(2)
F(8)	2340(9)	2672(7)	7217(5)	50(2)
F(9)	2592(10)	1837(9)	5844(6)	63(3)
F(10)	190(10)	2218(6)	5142(5)	49(2)
F(11)	854(10)	1003(6)	6539(6)	59(3)
N(1)	4750(14)	3132(16)	8389(9)	62(4)
N(2)	3965(12)	3518(11)	8581(7)	40(3)
N(3)	3138(14)	3881(10)	8954(8)	51(4)
N(4)	2229(13)	4376(10)	8441(7)	40(3)
N(5)	1369(14)	4828(13)	8136(8)	52(4)

Table 3. Bond lengths and angles for $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$

Bond lengths (Å)

Sb(1)-F(5)	1.839(8)	Sb(2)-F(9)	1.849(10)
Sb(1)-F(4)	1.845(8)	Sb(2)-F(8)	1.866(8)
Sb(1)-F(2)	1.851(9)	Sb(2)-F(11)	1.866(8)
Sb(1)-F(3)	1.854(9)	Sb(2)-F(6)	2.007(7)
Sb(1)-F(1)	1.856(10)	N(1)-N(2)	1.102(19)
Sb(1)-F(6)	2.031(7)	N(2)-N(3)	1.303(19)
Sb(2)-F(10)	1.844(7)	N(3)-N(4)	1.295(19)
Sb(2)-F(7)	1.849(9)	N(4)-N(5)	1.107(19)

Bond Angles (°)

F(5)-Sb(1)-F(4)	95.4(4)	F(9)-Sb(2)-F(8)	88.8(5)
F(5)-Sb(1)-F(2)	94.8(4)	F(10)-Sb(2)-F(11)	94.8(4)
F(4)-Sb(1)-F(2)	169.9(4)	F(7)-Sb(2)-F(11)	96.7(5)
F(5)-Sb(1)-F(3)	95.4(5)	F(9)-Sb(2)-F(11)	92.2(5)
F(4)-Sb(1)-F(3)	89.7(4)	F(8)-Sb(2)-F(11)	93.9(4)
F(2)-Sb(1)-F(3)	89.3(5)	F(10)-Sb(2)-F(6)	85.0(3)
F(5)-Sb(1)-F(1)	93.6(5)	F(7)-Sb(2)-F(6)	85.9(4)
F(4)-Sb(1)-F(1)	91.0(5)	F(9)-Sb(2)-F(6)	85.3(5)
F(2)-Sb(1)-F(1)	88.4(5)	F(8)-Sb(2)-F(6)	86.3(4)
F(3)-Sb(1)-F(1)	170.8(4)	F(11)-Sb(2)-F(6)	177.5(4)
F(5)-Sb(1)-F(6)	179.9(5)	Sb(2)-F(6)-Sb(1)	155.0(4)
F(4)-Sb(1)-F(6)	84.7(4)	N(1)-N(2)-N(3)	168.1(15)
F(2)-Sb(1)-F(6)	85.1(4)	N(4)-N(3)-N(2)	111.2(11)
F(3)-Sb(1)-F(6)	84.5(4)	N(5)-N(4)-N(3)	166.3(14)
F(1)-Sb(1)-F(6)	86.4(4)		
F(10)-Sb(2)-F(7)	91.2(5)		
F(10)-Sb(2)-F(9)	90.8(5)		
F(7)-Sb(2)-F(9)	170.7(5)		
F(10)-Sb(2)-F(8)	171.3(4)		
F(7)-Sb(2)-F(8)	87.9(4)		

Table 4. Observed Infrared and Raman Spectra of $N_5^+SbF_6^-$, $N_5^+Sb_2F_{11}^-$ and $N_5^+AsF_6^-$ and Their Assignments

-----obsd freq, cm ⁻¹ (rel intens)-----						-----assgnts (point group)-----		
----- $N_5^+SbF_6^-$ -----		----- $N_5^+Sb_2F_{11}^-$ -----		----- $N_5^+AsF_6^-$ -----				
IR	RA	IR	RA	IR	RA	$N_5^+(C_{2v})$	$MF_6^-(O_h)$	$Sb_2F_{11}^-$
3357 vw						$(\nu_1 + \nu_3 + \nu_9)(B_2) =$ 3358		
3334 vw						$(\nu_1 + \nu_8)(B_2) = 3323$		
3079 w		3069 w				$(\nu_2 + \nu_7)(B_2) = 3077$		
2681 vw		2671 vw				$(\nu_1 + \nu_9)(B_2) = 2682$		
2270 m	2268 (9.4)	2260 m	2261 (9.0)	2270 m	2271 (4.4)	$(\nu_1)(A_1)$		
2205 s	2205 (2.0)	2203 s	2202 (1.9)	2210 s	2211 (0.8)	$(\nu_7)(B_2)$		
1921 vw		1919 vw				$(\nu_3 + 3\nu_9)(B_2) = 1914$		
1891 vw		1883 vw				$(\nu_8 + 2\nu_9)(B_2) = 1883$		
1240 vw		1366 w } 1288 vw }					Comb. bands	Comb. bands
1092 ms		1089 s		1088 s		$(\nu_3 + \nu_9)(B_2) = 1086^a$		
1064 s		1064 s				$\nu_8(B_2)$		
902 vww		892 vww				$(\nu_5 + \nu_6)(B_2) = 903$		
871 w	872 (0.6)	867 w	866 (0.6)	872 w	871 (0.7)	$\nu_2(A_1)$		
835 vw	837 (0+)	824 vw	824 (0+)			$(2\nu_9)(A_1) = 828^b$		
		725 - 650 vs,br	692 (5.5) 654 (10) 598 (1.4) }					νSbF
	672 (1)		664 (~1)	680 sh	669/672 (1.8)	$\nu_3(A_1)$		
655 vs				704 vs			$\nu_3(F_{1u})$ $\nu_1(A_{1g})$	
	652 (10)				686 (10)			
		596 mw } 537 mw }						νSbF
582 w	571 (0.8)			575 w	579 (1.6)		$\nu_2(E_g)$	$\nu Sb-F-Sb$
		497 s						
	478 (0+)		470 (0+)			$\nu_5(A_2)$		
447 w		449 w				?		
425 ms		417 ms		420 sh		$\nu_6(B_1)$		
412 mw	416 (0+)	409 sh	417 (0+)			$\nu_9(B_2)$		
			295 (2.1) 283 sh 272 sh 231 (2.0) }					$\delta Sb-F$
284 vs				394 vs			$\nu_4(F_{1u})$ $\nu_5(F_{2g})$	
	282 (2.8)				372 (3.4)			
	204 (5.0)		200 (3.6)		209 (4.4)	$\nu_4(A_1)$		
			135 sh 97 (5.0) }		125 (5.5)	lattice vibrations		
	107 (5)							

a) In Fermi resonance with $\nu_8(B_2)$. b) In Fermi resonance with $\nu_2(A_1)$

Table 5. Comparison of Observed and Unscaled Calculated CCSD(T)/6311+G(2d) Vibrational Frequencies (cm^{-1}) and Intensities (km mol^{-1} and $\text{\AA}^4\text{amu}^{-1}$) for N_5^+

approx mode description in point group C_{2v}		calcd freq (abs IR, Ra int)			obsd freq (rel IR, RA int)		
A_1	ν_1 in-phase terminal stretches	2229	(13)	[215]	2260-2271	m	[10.0]
	ν_2 sym central stretch	818	(0.5)	[5]	866-872	w	[0.6]
	ν_3 central bending	644	(2)	[1]	664-672	obsd	[1] ^a
	ν_4 in-phase terminal bends	181	(0.3)	[6]	200-209	- ^b	[4]
A_2	ν_5 out-of-phase, out-of-plane bend	475	(0)	[1]	470-478	-	[0+]
B_1	ν_6 in-phase, out-of-plane bend	405	(6)	[0]	417-425	ms	[0]
B_2	ν_7 out-of-phase term stretches	2175	(105)	[42]	2203-2211	s	[1.9]
	ν_8 asym central stretch	1032	(138)	[2]	1055-1064	s	[n. obsd]
	ν_9 out-of-phase term bends	399	(1)	[0.5]	412-417	mw	[0+]

^aObscured in infrared and interference in Ra by anion bands. ^bOutside of frequency range of our spectrometer.

Figure Captions

- Figure 1. An ORTEP diagram of $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$ showing the thermal ellipsoids at the 30% probability level.
- Figure 2. An ORTEP diagram showing the side view of the eclipsed $\text{Sb}_2\text{F}_{11}^-$ anion. The thermal ellipsoids are drawn at the 30% probability level.
- Figure 3. Space filling representation of $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$ showing the close packing of the N_5^+ cation within the $\text{Sb}_2\text{F}_{11}^-$ cavity.
- Figure 4. A figure showing close range $\text{N}\cdots\text{F}$ contacts within the crystal lattice of $\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$.
- Figure 5. Infrared spectrum of solid $\text{N}_5^+\text{SbF}_6^-$ recorded as an AgBr pellet at room temperature. The band at 498 cm^{-1} , marked by an asterisk, is due to a small amount of $\text{Sb}_2\text{F}_{11}^-$.
- Figure 6. Raman spectrum of solid $\text{N}_5^+\text{SbF}_6^-$ recorded at room temperature.




Figure 1




Figure 2




Figure 3





Figure 4

Raman Spectrum of $\text{N}_5^+\text{SbF}_6^-$



SUPPLEMENTARY MATERIAL

Polynitrogen Chemistry. Synthesis, Characterization, and Crystal Structure of Surprisingly Stable Fluoroantimonate Salts of N_5^+

Ashwani Vij,[†] William W. Wilson,[†] Vandana Vij,[†] Fook S. Tham,[§] Jeffrey A. Sheehy,[†]
and Karl O. Christe,^{*†‡}

Propulsion Sciences and Advanced Concepts Division, Air Force Research Laboratory
(AFRL/PRS), Edwards AFB, California 93524, Loker Hydrocarbon Research Institute
and Department of Chemistry, University of Southern California, Los Angeles, CA
90089, and Department of Chemistry, University of California, Riverside, CA 92521

Abstract

The new N_5^+ salt, $N_5^+SbF_6^-$, was prepared from $N_2F^+SbF_6^-$ and HN_3 in anhydrous HF solution. The white solid is surprisingly stable, decomposing only at 70 °C, and is relatively insensitive to impact. Its vibrational spectrum exhibits all nine fundamentals with frequencies that are in excellent agreement with the theoretical calculations for a five-atomic V-shaped ion of C_{2v} symmetry. The $N_5^+Sb_2F_{11}^-$ salt was also prepared and its crystal structure was determined. The geometry previously predicted for free gaseous N_5^+ from theoretical calculations was confirmed within experimental error. The $Sb_2F_{11}^-$ anions exhibit an unusual geometry with eclipsed SbF_4 groups due to inter-ionic bridging with the N_5^+ cations. The N_5^+ cation is a powerful one-electron oxidizer. Its electron affinity falls between 11.0 and 12.08 eV because it readily oxidizes NO to NO^+ and NO_2 to NO_2^+ but fails to oxidize Xe or O_2 .

Table 1. Crystal data and structure refinement for N5SB2F11.

Identification code	$\text{N}_5^+\text{Sb}_2\text{F}_{11}^-$	
Empirical formula	F11 N5 Sb2	
Formula weight	522.55	
Temperature	213(2) K	
Wavelength	0.71073 Å	
Crystal system	Monoclinic	
Space group	C2/c	
Unit cell dimensions	$a = 10.913(8)$ Å	$\alpha = 90^\circ$.
	$b = 12.654(8)$ Å	$\beta = 104.72(2)^\circ$.
	$c = 16.675(11)$ Å	$\gamma = 90^\circ$.
	$2227(3)$ Å ³	
Volume	8	
Z	3.117 Mg/m ³	
Density (calculated)	4.995 mm ⁻¹	
Absorption coefficient	1888	
F(000)	$0.26 \times 0.10 \times 0.05$ mm ³	
Crystal size	2.51 to 25.35°.	
Theta range for data collection	$-12 \leq h \leq 13, -15 \leq k \leq 15, -20 \leq l \leq 17$	
Index ranges	9125	
Reflections collected	2022 [R(int) = 0.0629]	
Independent reflections	99.6 %	
Completeness to $\theta = 25.35^\circ$	SADABS	
Absorption correction	0.7883 and 0.3567	
Max. and min. transmission	Full-matrix least-squares on F ²	
Refinement method	2022 / 0 / 164	
Data / restraints / parameters	1.122	
Goodness-of-fit on F ²	$R1 = 0.0678, wR2 = 0.1913$	
Final R indices [$I > 2\sigma(I)$]	$R1 = 0.0785, wR2 = 0.2019$	
R indices (all data)	0.00026(18)	
Extinction coefficient	4.329 and $-2.102 \text{ e} \cdot \text{Å}^{-3}$	
Largest diff. peak and hole		

Table 2. Atomic coordinates ($\times 10^4$) and equivalent isotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for N5SB2F11. $U(\text{eq})$ is defined as one third of the trace of the orthogonalized U_{ij} tensor.

	x	y	z	$U(\text{eq})$
Sb(1)	2327(1)	5268(1)	5963(1)	32(1)
Sb(2)	1229(1)	2343(1)	6199(1)	28(1)
F(1)	930(11)	5546(9)	6373(7)	65(3)
F(2)	3187(10)	4839(8)	7017(5)	59(3)
F(3)	3652(9)	4765(7)	5561(6)	48(2)
F(4)	1368(9)	5453(7)	4889(5)	51(2)
F(5)	2906(11)	6638(7)	6101(6)	64(3)
F(6)	1691(8)	3755(6)	5813(5)	43(2)
F(7)	-17(9)	3062(8)	6548(6)	53(2)
F(8)	2340(9)	2672(7)	7217(5)	50(2)
F(9)	2592(10)	1837(9)	5844(6)	63(3)
F(10)	190(10)	2218(6)	5142(5)	49(2)
F(11)	854(10)	1003(6)	6539(6)	59(3)
N(1)	4750(14)	3132(16)	8389(9)	62(4)
N(2)	3965(12)	3518(11)	8581(7)	40(3)
N(3)	3138(14)	3881(10)	8954(8)	51(4)
N(4)	2229(13)	4376(10)	8441(7)	40(3)
N(5)	1369(14)	4828(13)	8136(8)	52(4)

Table 3. Bond lengths [\AA] and angles [$^\circ$] for N5SB2F11.

Sb(1)-F(5)	1.839(8)
Sb(1)-F(4)	1.845(8)
Sb(1)-F(2)	1.851(9)
Sb(1)-F(3)	1.854(9)
Sb(1)-F(1)	1.856(10)
Sb(1)-F(6)	2.031(7)
Sb(2)-F(10)	1.844(7)
Sb(2)-F(7)	1.849(9)
Sb(2)-F(9)	1.849(10)
Sb(2)-F(8)	1.866(8)
Sb(2)-F(11)	1.866(8)
Sb(2)-F(6)	2.007(7)
N(1)-N(2)	1.102(19)
N(2)-N(3)	1.303(19)
N(3)-N(4)	1.295(19)
N(4)-N(5)	1.107(19)
F(5)-Sb(1)-F(4)	95.4(4)
F(5)-Sb(1)-F(2)	94.8(4)
F(4)-Sb(1)-F(2)	169.9(4)
F(5)-Sb(1)-F(3)	95.4(5)
F(4)-Sb(1)-F(3)	89.7(4)
F(2)-Sb(1)-F(3)	89.3(5)
F(5)-Sb(1)-F(1)	93.6(5)
F(4)-Sb(1)-F(1)	91.0(5)
F(2)-Sb(1)-F(1)	88.4(5)
F(3)-Sb(1)-F(1)	170.8(4)
F(5)-Sb(1)-F(6)	179.9(5)
F(4)-Sb(1)-F(6)	84.7(4)
F(2)-Sb(1)-F(6)	85.1(4)
F(3)-Sb(1)-F(6)	84.5(4)
F(1)-Sb(1)-F(6)	86.4(4)
F(10)-Sb(2)-F(7)	91.2(5)
F(10)-Sb(2)-F(9)	90.8(5)

F(7)-Sb(2)-F(9)	170.7(5)
F(10)-Sb(2)-F(8)	171.3(4)
F(7)-Sb(2)-F(8)	87.9(4)
F(9)-Sb(2)-F(8)	88.8(5)
F(10)-Sb(2)-F(11)	94.8(4)
F(7)-Sb(2)-F(11)	96.7(5)
F(9)-Sb(2)-F(11)	92.2(5)
F(8)-Sb(2)-F(11)	93.9(4)
F(10)-Sb(2)-F(6)	85.0(3)
F(7)-Sb(2)-F(6)	85.9(4)
F(9)-Sb(2)-F(6)	85.3(5)
F(8)-Sb(2)-F(6)	86.3(4)
F(11)-Sb(2)-F(6)	177.5(4)
Sb(2)-F(6)-Sb(1)	155.0(4)
N(1)-N(2)-N(3)	168.1(15)
N(4)-N(3)-N(2)	111.2(11)
N(5)-N(4)-N(3)	166.3(14)

Symmetry transformations used to generate equivalent atoms.

Table 4. Anisotropic displacement parameters ($\text{\AA}^2 \times 10^3$) for N5SB2F11. The anisotropic displacement factor exponent takes the form: $-2\pi^2 [h^2 a^{*2} U^{11} + \dots + 2 h k a^* b^* U^{12}]$

	U^{11}	U^{22}	U^{33}	U^{23}	U^{13}	U^{12}
Sb(1)	46(1)	20(1)	33(1)	-4(1)	16(1)	-10(1)
Sb(2)	37(1)	15(1)	29(1)	0(1)	2(1)	-3(1)
F(1)	80(7)	58(6)	74(7)	-15(5)	48(6)	1(5)
F(2)	73(6)	69(7)	27(4)	2(4)	0(4)	-37(5)
F(3)	48(5)	50(6)	49(5)	-4(4)	19(4)	-5(4)
F(4)	64(6)	43(5)	41(5)	14(4)	5(4)	-8(4)
F(5)	101(8)	16(4)	73(7)	-10(4)	21(6)	-14(5)
F(6)	64(5)	29(4)	35(4)	1(3)	10(4)	-21(4)
F(7)	63(6)	48(6)	54(5)	0(4)	26(4)	10(5)
F(8)	63(6)	45(5)	30(4)	-1(4)	-12(4)	-6(4)
F(9)	52(6)	69(7)	70(6)	-14(5)	19(5)	15(5)
F(10)	78(6)	29(4)	25(4)	-2(3)	-16(4)	-7(4)
F(11)	80(7)	24(5)	61(6)	13(4)	-2(5)	-7(4)
N(1)	43(8)	103(14)	40(7)	-3(8)	8(6)	8(8)
N(2)	45(7)	46(7)	23(5)	0(5)	-1(5)	-6(6)
N(3)	77(10)	40(8)	39(7)	0(6)	19(7)	22(7)
N(4)	54(8)	37(7)	33(6)	-2(5)	18(6)	-12(6)
N(5)	51(8)	68(10)	41(7)	-1(7)	18(6)	-2(7)

Table 5. Torsion angles [°] for N5SB2F11.

F(10)-Sb(2)-F(6)-Sb(1)	156.0(13)
F(7)-Sb(2)-F(6)-Sb(1)	64.4(13)
F(9)-Sb(2)-F(6)-Sb(1)	-112.8(13)
F(8)-Sb(2)-F(6)-Sb(1)	-23.7(12)
F(11)-Sb(2)-F(6)-Sb(1)	-118(7)
F(5)-Sb(1)-F(6)-Sb(2)	47(100)
F(4)-Sb(1)-F(6)-Sb(2)	-154.6(13)
F(2)-Sb(1)-F(6)-Sb(2)	25.4(12)
F(3)-Sb(1)-F(6)-Sb(2)	115.2(13)
F(1)-Sb(1)-F(6)-Sb(2)	-63.3(13)
N(1)-N(2)-N(3)-N(4)	-173(8)
N(2)-N(3)-N(4)-N(5)	-179(100)

Symmetry transformations used to generate equivalent atoms.

Table 6 - Contact Distances(Angstrom) for N5SB2F11

Sb1	.N3_a	3.830(14)	F8	.F2	2.940(14)
Sb1	.F11_b	3.837(11)	F8	.N1	2.909(18)
Sb2	.F5_c	3.697(12)	F8	.N2	2.723(15)
F1	.N5	2.997(18)	F8	.N3	3.195(15)
F1	.N5_d	2.97(2)	F8	.N4	2.993(15)
F1	.F4_e	3.104(15)	F9	.N5_j	3.108(19)
F2	.F8	2.940(14)	F9	.F3_h	3.135(14)
F2	.N2	3.032(15)	F10	.N1_k	2.874(17)
F2	.N4	2.887(16)	F10	.N2_k	2.768(15)
F2	.N5	3.049(18)	F10	.N3_k	2.936(17)
F2	.F11_f	2.790(13)	F11	.Sb1_c	3.837(11)
F3	.N1_g	2.97(2)	F11	.F3_c	2.983(14)
F3	.N2_g	3.068(17)	F11	.F2_l	2.790(13)
F3	.N3_a	3.109(16)	F11	.N2_j	3.160(16)
F3	.F11_b	2.983(14)	F11	.N3_j	3.091(16)
F3	.F9_h	3.135(14)	F11	.N4_j	2.929(17)
F4	.F1_e	3.104(15)	N1	.F8	2.909(18)
F4	.F7_e	3.107(13)	N1	.N4	3.19(2)
F4	.N3_a	2.899(18)	N1	.F3_m	2.97(2)
F4	.N4_a	2.813(15)	N1	.N1_g	3.15(2)
F4	.N5_a	2.945(16)	N1	.F10_n	2.874(17)
F5	.Sb2_b	3.697(12)	N2	.F2	3.032(15)
F5	.F7_b	2.843(15)	N2	.F8	2.723(15)
F5	.N3_i	3.051(16)	N2	.N5	3.20(2)
F7	.N4_d	2.935(17)	N2	.F3_m	3.068(17)
F7	.N5_d	2.801(19)	N2	.F11_f	3.160(16)
F7	.F4_e	3.107(13)	N2	.F10_n	2.768(14)

✓ F7 .F5_c 2.843(15) N3 .F8 3.195(15)
 N3 .Sb1_o 3.830(14) N4 .F4_o 2.813(15)
 N3 .F3_o 3.109(16) N4 .F11_f 2.929(17)
 N3 .F4_o 2.899(18) N5 .F1 2.997(18)
 N3 .F5_l 3.051(16) N5 .F2 3.049(18)
 N3 .F11_f 3.091(16) N5 .N2 3.20(2)
 N3 .F10_n 2.936(17) N5 .F1_p 2.97(2)
 N4 .F2 2.887(16) N5 .F7_p 2.801(19)
 N4 .F8 2.993(15) N5 .N5_d 3.19(2)
 N4 .N1 3.19(2) N5 .F4_o 2.945(16)
 N4 .F7_p 2.935(17) N5 .F9_f 3.108(19)

Translation of Symmetry Code to Equiv.Pos

a=[4564.00] = x,1-y,-1/2+z
 b=[5555.00] = 1/2+x,1/2+y,z
 c=[5445.00] = -1/2+x,-1/2+y,z
 d=[2556.00] = -x,y,3/2-z
 e=[3566.00] = -x,1-y,1-z
 f=[6556.00] = 1/2-x,1/2+y,3/2-z
 g=[2656.00] = 1-x,y,3/2-z
 h=[7556.00] = 1/2-x,1/2-y,1-z
 i=[6556.00] = 1/2-x,1/2+y,3/2-z
 j=[6546.00] = 1/2-x,-1/2+y,3/2-z
 k=[8454.00] = -1/2+x,1/2-y,-1/2+z
 l=[6546.00] = 1/2-x,-1/2+y,3/2-z
 m=[2656.00] = 1-x,y,3/2-z
 n=[8555.00] = 1/2+x,1/2-y,1/2+z
 o=[4565.00] = x,1-y,1/2+z
 p=[2556.00] = -x,y,3/2-z

Table 7. Observed and calculated structure factors for N5SB2F11

h	k	1	10Fo	10Fc	10s	h	k	1	10Fo	10Fc	10s	h	k	1	10Fo	10Fc	10s	h	k	1	10Fo	10Fc	10s	
2	0	0	4431	4655	88	5	1	1	1750	2084	23	10	8	1	1	0	143	1	-5	3	2	2433	2482	56
6	0	0	1529	1593	50	7	1	1	1	0	36	-9	9	1	0	11	1	-3	3	2	1420	1026	25	
8	0	0	2785	3166	23	9	1	1	1327	1399	38	-7	9	1	396	404	31	-1	3	2	1420	1026	25	
0	0	0	219	252	106	11	1	1	78	117	77	-5	9	1	905	788	31	-1	3	2	614	416	58	
2	0	0	500	514	72	-12	2	1	130	146	129	-3	9	1	2710	2456	74	3	3	2	3739	3562	56	
1	1	0	173	5	27	-10	2	1	609	573	27	-1	9	1	1816	1282	18	5	3	2	686	771	12	
3	1	0	672	774	10	-8	2	1	586	628	47	1	9	1	804	713	20	5	3	2	523	578	16	
5	1	0	1086	1246	23	-6	2	1	675	646	16	3	9	1	1790	1765	23	9	3	2	1158	1206	16	
7	1	0	1082	1141	18	-4	2	1	832	650	37	5	9	1	2627	2614	53	11	3	2	555	548	22	
9	1	0	938	963	17	-2	2	1	1619	1334	14	7	9	1	1044	1071	31	-12	4	2	377	367	83	
1	1	0	740	749	33	0	2	1	403	302	9	7	9	1	188	179	92	-10	4	2	1606	1516	48	
2	0	2	0	272	310	27	2	2	1	0	20	1	8	10	1	1514	1551	43	-8	4	2	536	487	21
2	0	2	4366	4048	44	4	2	1	443	412	19	-6	10	1	418	394	30	-6	4	2	1585	1274	24	
4	2	0	2298	2369	19	6	2	1	1147	1280	22	-4	10	1	372	355	34	-4	4	2	62	52	61	
6	2	0	1093	1189	25	8	2	1	0	101	1	-2	10	1	2332	2124	24	-2	4	2	2333	2118	25	
8	2	0	834	859	16	10	2	1	368	383	30	0	10	1	1946	1651	40	0	4	2	849	709	11	
0	2	0	665	664	27	12	2	1	197	290	124	2	10	1	1195	1103	18	2	4	2	1224	1256	15	
2	2	0	785	756	49	-11	3	1	1013	1003	51	4	10	1	453	448	29	4	4	2	444	442	16	
1	1	3	0	2159	1900	29	-9	3	1	211	219	67	6	10	1	895	894	24	6	4	2	445	440	22
3	3	0	1331	1339	22	-7	3	1	2079	2086	26	8	10	1	431	447	40	8	4	2	1401	1394	26	
5	3	0	84	81	84	-5	3	1	659	633	31	-7	11	1	676	645	31	10	4	2	1550	1580	30	
7	3	0	798	841	16	-3	3	1	1991	1927	37	-5	11	1	569	436	32	-11	5	2	655	608	65	
9	3	0	1221	1226	24	-1	3	1	2221	1863	22	-3	11	1	1007	17	42	-9	5	2	0	94	1	
1	3	0	758	788	31	1	3	1	6532	5654	69	1	11	1	1198	998	19	-7	5	2	934	817	17	
0	4	0	12306	6174	419	3	3	1	1238	1325	13	1	11	1	1670	1682	19	-5	5	2	3175	2275	25	
2	2	4	0	2362	2147	26	5	3	1	715	779	20	3	11	1	1639	1603	21	-3	5	2	3466	2770	50
4	4	0	403	344	19	7	3	1	957	1031	14	5	11	1	823	835	22	-1	5	2	636	513	14	
6	4	0	1136	1163	32	9	3	1	1810	1834	34	7	11	1	1146	1148	29	3	5	2	2171	1984	32	
8	4	0	2386	2549	23	11	3	1	81	18	81	-6	12	1	1764	1872	20	3	5	2	2124	2062	24	
0	0	0	317	391	62	-12	4	1	670	632	35	-4	12	1	2159	2035	56	5	5	2	1413	1441	15	
2	2	4	0	537	563	39	-10	4	1	123	248	123	-2	12	1	122	107	122	7	5	2	192	242	47
4	1	5	0	1340	855	56	-8	4	1	738	780	18	0	12	1	282	268	42	9	5	2	209	252	45
3	5	0	792	698	18	-6	4	1	1687	1705	32	2	12	1	1658	1717	22	11	5	2	404	410	43	
5	5	0	1110	1088	17	-4	4	1	2519	2433	20	4	12	1	1181	1246	22	-10	6	2	636	654	54	
7	5	0	1325	1344	28	-2	4	1	604	460	13	6	12	1	258	372	70	-8	6	2	60	37	60	
9	5	0	235	269	54	0	4	1	694	590	11	-5	13	1	222	218	74	-6	6	2	1322	1222	18	
1	5	0	0	108	1	2	4	1	1600	1460	17	-3	13	1	1073	1180	20	4	6	2	678	498	20	
0	6	0	499	310	23	4	4	1	611	653	16	-1	13	1	1171	882	21	-2	6	2	4264	3970	42	
6	6	0	3187	3129	26	6	4	1	486	477	19	1	13	1	465	383	57	0	6	2	492	399	19	
8	6	0	292	306	28	8	4	1	843	843	18	3	13	1	1148	1192	27	4	6	2	1831	1735	17	
0	6	0	519	529	26	10	4	1	291	325	42	5	13	1	1259	1347	30	4	6	2	764	768	20	
2	6	0	455	423	48	12	4	1	0	100	1	-4	14	1	92	173	92	6	6	2	2466	2497	36	
1	7	0	1481	958	28	-11	5	1	791	762	62	-2	14	1	1606	1518	36	8	6	2	277	320	34	

h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s
3	7	0	657	588	28	-9	5	1	164	239	164	0	14	1	1540	1502	21	10	6	2	189	250	68
5	7	0	779	783	29	-7	5	1	1181	1171	17	2	14	1	678	656	24	-11	7	2	0	170	1
7	7	0	693	721	19	-5	5	1	391	360	21	4	14	1	429	451	34	-9	7	2	1088	985	36
9	7	0	504	461	55	-3	5	1	3819	3311	48	-1	15	1	645	414	28	-7	7	2	1214	1077	67
11	7	0	373	463	52	-1	5	1	2014	1704	24	1	15	1	584	615	28	-5	7	2	371	314	25
2	8	0	2675	2123	80	1	5	1	337	327	14	-12	0	2	321	256	110	-3	7	2	774	89	82
0	8	0	792	792	44	3	5	1	2255	2185	20	-10	0	2	1377	1394	36	-1	7	2	3091	2934	34
4	8	0	1597	1431	17	5	5	1	3034	3284	24	-8	0	2	706	679	31	1	7	2	2268	2088	35
6	8	0	275	271	42	7	5	1	855	873	16	-4	0	2	572	571	24	3	7	2	288	253	23
8	8	0	884	899	24	9	5	1	539	535	26	0	0	2	1425	1732	28	5	7	2	709	675	17
10	8	0	0	110	1	11	5	1	582	517	36	2	0	2	5450	5801	71	7	7	2	733	720	20
1	9	0	2173	1809	44	-10	6	1	1105	1095	61	4	0	2	132	159	131	9	7	2	593	623	25
3	9	0	1099	1044	18	-8	6	1	1245	1277	21	6	0	2	875	968	25	-10	8	2	718	667	35
5	9	0	1017	950	38	-6	6	1	704	644	18	8	0	2	1752	1738	30	-8	8	2	158	210	157
7	9	0	644	570	38	-4	6	1	924	852	18	10	0	2	1756	1817	43	-6	8	2	778	761	21
9	9	0	693	684	30	-2	6	1	5633	4261	82	12	0	2	0	142	1	-4	8	2	312	274	33
0	10	0	1618	1342	26	0	6	1	1962	1805	18	-11	1	2	581	540	42	-2	8	2	2212	2007	21
2	10	0	668	482	30	2	6	1	1658	1564	35	-9	1	2	728	671	19	0	8	2	57	87	56
4	10	0	1064	1032	20	4	6	1	1314	1335	16	-7	1	2	1689	1416	16	2	8	2	1544	1552	25
6	10	0	287	277	42	6	6	1	928	968	18	-5	1	2	2411	2248	38	4	8	2	315	358	26
8	10	0	492	529	35	8	6	1	269	250	39	-3	1	2	3749	3709	46	6	8	2	951	971	24
1	11	0	1180	945	19	10	6	1	860	860	30	-1	1	2	3497	3359	55	8	8	2	630	671	26
3	11	0	267	280	55	-11	7	1	783	795	33	3	1	2	2576	2743	12	10	8	2	389	389	32
5	11	0	1211	1256	20	-9	7	1	232	180	76	3	1	2	1785	2078	25	-9	9	2	256	330	79
7	11	0	1164	1214	23	-7	7	1	1240	1224	18	5	1	2	854	967	13	-7	9	2	366	362	37
0	12	0	269	199	56	-5	7	1	1157	1046	18	7	1	2	294	281	29	-5	9	2	1537	992	25
2	12	0	554	440	25	-3	7	1	1345	1192	19	9	1	2	217	241	50	-3	9	2	2274	1607	39
4	12	0	859	796	34	-1	7	1	2054	1764	21	11	1	2	121	210	120	-1	9	2	1552	1527	25
6	12	0	0	106	1	1	7	1	5107	4753	37	-12	2	2	565	567	54	1	9	2	771	776	19
1	13	0	1450	1405	20	3	7	1	1680	1596	19	-10	2	2	786	759	25	3	9	2	1622	1499	22
3	13	0	1174	1284	28	5	7	1	217	187	38	-8	2	2	663	605	18	5	9	2	999	1009	20
5	13	0	332	296	42	7	7	1	1410	1431	21	-6	2	2	2980	2727	39	7	9	2	720	718	23
0	14	0	1480	1256	59	9	7	1	1507	1506	26	-4	2	2	158	79	41	9	9	2	0	80	1
2	14	0	794	814	24	11	7	1	222	253	96	0	2	2	4583	4626	91	-8	10	2	368	393	41
4	14	0	282	287	49	-10	8	1	322	350	63	0	2	2	1027	966	14	-6	10	2	616	547	25
1	15	0	888	997	24	-8	8	1	282	332	52	2	2	2	1778	1832	22	-4	10	2	262	169	48
-11	1	1	751	749	41	-6	8	1	1987	1939	25	4	2	2	1094	1267	16	-2	10	2	1216	1119	24
-9	1	1	48	35	48	-4	8	1	3898	3500	59	6	2	2	3410	3795	21	0	10	2	343	320	33
-7	1	1	1824	1820	37	-2	8	1	1251	992	17	8	2	2	1282	1395	17	2	10	2	1074	1054	28
-5	1	1	373	355	21	0	8	1	24	9	23	10	2	2	208	253	56	4	10	2	80	149	80
-3	1	1	3560	3426	41	2	8	1	2269	2138	18	12	2	2	587	600	46	6	10	2	760	708	29
-1	1	1	625	598	12	4	8	1	1491	1467	19	-11	3	2	43	175	42	8	10	2	268	349	65
1	1	1	3475	3556	22	6	8	1	556	570	20	-9	3	2	1402	1263	31	-9	11	2	512	559	42
3	1	1	448	443	12	8	8	1	712	708	23	-7	3	2	2475	2172	22	-7	11	2	728	646	77

h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s			
9	5	3	267	297	36	-4	0	4	1171	1234	30	1	7	4	1759	1679	17	-9	3	5	181	176	67			
11	5	3	93	224	93	-2	0	4	2869	3286	13	3	7	4	1532	1574	17	-7	3	5	2621	2526	55			
-12	6	3	181	198	180	0	0	4	8664	8095	119	5	7	4	724	687	17	-5	3	5	1008	1045	14			
-10	6	3	0	163	1	2	0	4	1393	1520	22	7	7	4	0	48	1	-3	3	5	1333	1352	17			
-6	6	3	1821	1535	17	4	0	4	2163	2450	48	9	7	4	744	798	21	-1	3	5	1560	1583	17			
-4	6	3	474	394	28	6	0	4	786	910	25	-10	8	4	261	178	96	1	3	5	3510	3548	35			
-2	6	3	1776	1671	20	8	0	4	1343	1484	22	-8	8	4	966	885	36	3	3	5	476	512	16			
0	6	3	4881	4330	16	10	0	4	436	436	40	-6	8	4	332	231	49	5	3	5	1277	1373	14			
2	6	3	3709	3458	43	-13	1	4	558	513	47	-4	8	4	1380	1300	32	7	3	5	464	499	19			
4	6	3	1151	1135	13	-11	1	4	256	310	80	-2	8	4	840	855	19	9	3	5	822	861	18			
6	6	3	498	525	19	-9	1	4	71	30	71	0	8	4	1657	1535	18	11	3	5	221	288	55			
8	6	3	1323	1333	33	-7	1	4	202	147	38	2	8	4	180	183	34	-12	4	5	719	638	42			
-11	7	3	511	557	27	-5	1	4	351	290	27	4	8	4	1796	1738	22	-10	4	5	204	166	57			
-9	7	3	1701	1732	61	-1	1	4	987	1080	18	6	8	4	286	284	32	-8	4	5	1022	978	28			
-7	7	3	1399	1271	39	1	1	4	2734	2933	36	8	8	4	872	916	21	-6	4	5	1673	1616	32			
-5	7	3	334	258	27	3	1	4	2333	2497	22	-9	9	4	805	800	47	-4	4	5	599	638	16			
-3	7	3	1040	977	22	5	1	4	1060	1160	15	-7	9	4	621	258	42	-2	4	5	2341	2260	28			
-1	7	3	3481	3298	37	7	1	4	1942	2082	17	-5	9	4	1082	1063	24	0	4	5	609	635	37			
1	7	3	192	185	27	9	1	4	1554	1690	17	-3	9	4	890	890	21	2	4	5	582	588	15			
3	7	3	2269	2132	24	11	1	4	929	956	19	-1	9	4	937	832	21	4	4	5	164	237	41			
5	7	3	464	438	18	-12	2	4	479	463	28	1	9	4	937	832	21	6	4	5	1561	1614	17			
7	7	3	754	787	23	-10	2	4	1535	1312	38	3	9	4	1140	1143	17	8	4	5	770	799	17			
9	7	3	692	623	59	-8	2	4	1071	954	24	5	9	4	949	963	19	10	4	5	181	190	70			
-10	8	3	108	203	108	-6	2	4	81	90	81	7	9	4	379	422	45	-11	5	5	1294	1125	49			
-8	8	3	259	186	45	-2	2	4	3205	3281	73	9	9	4	426	455	34	-9	5	5	566	505	38			
-6	8	3	2839	2516	30	0	2	4	5768	6222	56	-8	10	4	748	621	32	-7	5	5	805	710	31			
-4	8	3	3512	3491	50	2	2	4	2173	2426	42	-6	10	4	514	401	29	-5	5	5	1994	1976	34			
-2	8	3	885	773	17	4	2	4	861	901	18	-4	10	4	829	796	20	-3	5	5	4697	4642	22			
0	8	3	1054	932	15	6	2	4	1620	1772	24	-2	10	4	829	796	20	-3	5	5	4697	4642	22			
2	8	3	1054	932	15	6	2	4	1620	1772	24	-2	10	4	829	796	20	-3	5	5	4697	4642	22			
4	8	3	2908	2901	23	8	2	4	2708	3095	57	0	10	4	326	313	35	-1	5	5	1730	1634	28			
6	8	3	1891	1907	23	10	2	4	1114	1049	17	1	5	5	484	493	18	-4	0	6	1484	1629	19			
8	8	3	214	211	60	-11	3	4	204	169	33	2	10	4	0	20	1	3	5	5	1744	1749	21			
10	8	3	0	45	1	2	4	4	861	847	19	5	5	5	2771	2928	27	2	0	6	151	126	45			
-9	9	3	246	287	84	-9	3	4	0	60	1	6	10	4	861	847	19	5	5	5	2771	2928	27			
-7	9	3	1040	1103	21	-11	3	4	78	190	77	9	5	5	84	116	83	4	0	6	1500	1557	21			
-5	9	3	1916	1881	39	-7	3	4	463	395	48	8	10	4	78	190	77	9	5	5	703	668	21			
-3	9	3	602	547	26	-3	3	4	217	198	51	-9	11	4	391	259	49	-12	6	5	0	143	1			
-1	9	3	661	548	19	-7	3	4	661	365	30	-7	11	4	1161	1133	26	-10	6	5	1122	1004	53			
1	9	3	375	338	21	-5	3	4	1069	1091	15	-5	11	4	941	967	22	-8	6	5	1505	1493	31			
3	9	3	956	914	18	-3	3	4	117	81	72	-3	11	4	1498	1486	22	-6	6	5	600	536	28			
5	9	3	551	508	23	-1	3	4	117	81	72	-3	11	4	1498	1486	22	-6	6	5	600	536	28			
7	9	3	1050	1111	20	7	3	4	908	923	13	-1	11	4	1170	1075	21	-4	6	5	782	763	18			
9	9	3	445	502	33	11	3	4	2926	2902	19	1	11	4	717	652	24	-2	6	5	1703	1612	23			
									4	404	398	32	0	6	5	230	218	25	0	6	5	230	218	25		
									5	925	1055	15	5	11	4	1292	1287	28	2	6	5	1522	1474	19		
									7	11	4	685	751	54	4	6	5	2169	2220	28	4	6	5	2169	2220	28
									9	3	4	1299	1397	17	-8	12	4	0	13	1	6	5	0	13	1	
									11	3	4	669	628	26	-6	12	4	598	468	31	8	6	5	380	400	25

h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	
-8	10	3	1432	1192	35	-12	4	4	199	301	198	-4	12	4	1167	1203	24	
-6	10	3	1985	1679	25	-10	4	4	939	751	27	-2	12	4	626	587	27	
-4	10	3	321	289	35	-8	4	4	2946	2657	60	0	12	4	336	335	35	
-2	10	3	249	335	50	-6	4	4	1771	1701	17	2	12	4	246	258	44	
0	10	3	2561	2587	46	-4	4	4	868	860	14	4	12	4	426	434	34	
2	10	3	2316	2335	23	-2	4	4	1731	1664	19	6	12	4	278	361	61	
4	10	3	538	535	22	0	4	4	2447	2299	48	-5	13	4	689	683	26	
6	10	3	416	405	30	2	4	4	496	440	15	-3	13	4	895	901	28	
8	10	3	1294	1345	36	4	4	4	1045	1100	13	-1	13	4	456	394	30	
-9	11	3	1258	1322	59	6	4	4	657	660	18	1	13	4	1584	1685	29	
-7	11	3	1077	922	21	8	4	4	1084	1146	15	3	13	4	1279	1403	21	
-5	11	3	691	237	31	10	4	4	280	238	42	5	13	4	260	317	117	
-3	11	3	844	889	24	-11	5	4	144	140	144	-4	14	4	589	646	25	
-1	11	3	1131	1153	19	-9	5	4	477	382	27	-2	14	4	553	565	29	
1	11	3	104	10	104	-7	5	4	787	481	20	0	14	4	923	939	24	
3	11	3	870	927	22	-5	5	4	810	815	15	2	14	4	306	312	40	
5	11	3	201	260	81	-3	5	4	1610	1598	16	-13	1	5	0	61	1	
7	11	3	0	11	1	-1	5	4	597	587	14	-11	1	5	5	963	859	26
-8	12	3	135	237	134	1	5	4	390	338	15	-9	1	5	0	7	1	
-6	12	3	0	69	1	3	5	4	75	118	74	-7	1	5	1721	1737	22	
-4	12	3	2134	2081	29	5	5	4	1589	1672	16	-5	1	5	1147	1100	19	
-2	12	3	1914	1961	31	7	5	4	1068	1155	20	-3	1	5	2936	3299	28	
0	12	3	0	45	1	9	5	4	267	302	39	-1	1	5	231	224	15	
2	12	3	610	538	26	11	5	4	0	10	1	1	1	5	1779	1986	13	
4	12	3	1985	2006	20	-12	6	4	915	844	37	3	1	5	1078	1160	11	
6	12	3	1398	1490	43	-10	6	4	616	393	40	5	1	5	2480	2600	32	
-5	13	3	749	768	26	-8	6	4	0	122	1	7	1	5	365	359	23	
-3	13	3	661	663	40	-6	6	4	1075	943	19	9	1	5	1071	1103	16	
-1	13	3	84	121	84	-4	6	4	3626	3671	29	11	1	5	127	181	126	
1	13	3	63	142	62	-2	6	4	1222	1157	18	-12	2	5	0	135	1	
3	13	3	434	443	37	0	6	4	640	562	12	-10	2	5	680	578	26	
5	13	3	346	398	49	2	6	4	1284	1236	16	-8	2	5	406	361	24	
-4	14	3	0	104	1	4	6	4	2765	2793	25	-6	2	5	108	58	108	
-2	14	3	0	92	1	6	6	4	0	63	1	-4	2	5	1885	2028	31	
0	14	3	1954	2095	23	8	6	4	708	745	19	-2	2	5	355	341	18	
2	14	3	1534	1737	20	10	6	4	285	309	44	0	2	5	215	226	35	
4	14	3	0	148	1	-11	7	4	494	393	56	2	2	5	544	544	13	
-1	15	3	325	362	47	-9	7	4	311	101	53	4	2	5	670	730	14	
-12	0	4	102	107	101	-7	7	4	1249	1067	19	6	2	5	76	131	76	
-10	0	4	486	434	40	-5	7	4	1072	982	20	8	2	5	457	443	23	
-8	0	4	3019	2759	50	-3	7	4	1354	1210	20	10	2	5	310	345	36	
-6	0	4	2728	2903	63	-1	7	4	483	426	16	-11	3	5	709	557	39	

h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s
-5	5	6	2312	2380	37	3	1	7	2577	2781	35	3	9	7	117	157	88	8	4	8	299	360	34
-3	5	6	1378	1378	17	5	1	7	657	677	15	5	9	7	1274	1331	19	-11	5	8	471	428	46
-1	5	6	541	500	15	7	1	7	1216	1236	18	7	9	7	1322	1354	21	-9	5	8	782	816	26
1	5	6	252	248	28	9	1	7	242	272	43	-8	10	7	1559	1737	60	-7	5	8	123	124	123
3	5	6	1240	1306	21	-12	2	7	0	87	1	-6	10	7	1532	1600	21	-5	5	8	580	523	21
5	5	6	244	244	32	-10	2	7	114	240	114	-4	10	7	0	27	1	-3	5	8	1850	1951	20
7	5	6	767	788	16	-8	2	7	817	859	20	-2	10	7	735	677	21	-1	5	8	1786	1938	31
9	5	6	434	453	26	-6	2	7	892	836	19	0	10	7	2124	2217	25	1	5	8	553	539	23
-12	6	6	30	12	29	-4	2	7	658	638	17	2	10	7	1595	1670	29	3	5	8	1237	1266	13
-10	6	6	852	837	34	-2	2	7	90	85	90	4	10	7	655	590	29	5	5	8	1543	1602	16
-8	6	6	430	348	29	0	2	7	1537	1671	31	6	10	7	0	32	1	7	5	8	623	608	18
-6	6	6	490	454	30	2	2	7	1431	1506	13	-7	11	7	78	127	78	9	5	8	0	75	1
-4	6	6	920	925	23	4	2	7	354	349	18	-5	11	7	730	654	28	-10	6	8	143	195	142
-2	6	6	3132	3044	56	6	2	7	129	139	80	-3	11	7	54	93	54	-8	6	8	709	688	24
0	6	6	1057	1030	15	8	2	7	387	397	25	-1	11	7	276	292	50	-6	6	8	578	524	24
2	6	6	357	364	18	10	2	7	0	47	1	1	11	7	992	1013	56	-4	6	8	1802	1814	33
4	6	6	1471	1528	18	-11	3	7	454	372	34	3	11	7	1267	1358	29	-2	6	8	139	132	47
6	6	6	2017	2046	19	-9	3	7	1582	1563	34	5	11	7	805	812	34	0	6	8	2013	2064	32
8	6	6	0	135	1	-7	3	7	287	277	32	-6	12	7	262	340	69	2	6	8	755	648	43
10	6	6	238	239	55	-5	3	7	2507	2654	20	-4	12	7	2171	2248	25	4	6	8	1615	1621	13
-11	7	6	0	56	1	-3	3	7	136	101	69	-2	12	7	1740	1832	32	6	6	8	204	256	41
-7	7	6	1002	1008	36	-1	3	7	2521	2509	51	0	12	7	0	8	1	8	6	8	960	922	25
-5	7	6	293	269	40	1	3	7	932	984	19	2	12	7	0	85	1	-11	7	8	0	203	1
-3	7	6	477	426	26	3	3	7	3283	3564	33	4	12	7	1343	1494	66	-9	7	8	132	183	132
-1	7	6	1727	1651	29	5	3	7	471	504	18	-5	13	7	150	208	149	-7	7	8	1106	1143	19
1	7	6	1060	1135	16	7	3	7	406	392	22	-3	13	7	0	87	1	-5	7	8	664	639	24
3	7	6	708	709	15	9	3	7	681	659	21	-1	13	7	834	862	33	-3	7	8	214	180	44
5	7	6	126	230	87	-12	4	7	444	448	50	1	13	7	411	408	52	-1	7	8	43	139	43
7	7	6	756	780	19	-10	4	7	816	772	25	3	13	7	0	98	1	1	7	8	1701	1707	37
9	7	6	349	358	36	-8	4	7	243	164	46	-2	14	7	370	418	57	3	7	8	770	782	19
-10	8	6	559	531	44	-6	4	7	942	952	16	0	14	7	1524	1730	70	5	7	8	467	431	23
-8	8	6	246	268	61	-4	4	7	1877	1969	39	-12	0	8	229	223	82	7	7	8	0	63	1
-6	8	6	866	880	22	-2	4	7	1381	1445	12	-10	0	8	929	880	32	-10	8	8	277	126	55
-4	8	6	144	144	117	0	4	7	546	452	69	-8	0	8	2304	2433	39	-8	8	8	788	824	27
-2	8	6	1360	1239	20	2	4	7	931	967	11	-6	0	8	1293	1402	30	-6	8	8	63	161	62
0	8	6	1220	1185	20	4	4	7	632	639	18	-4	0	8	374	273	27	-4	8	8	620	534	27
2	8	6	1827	1781	18	6	4	7	333	357	26	-2	0	8	614	694	27	-2	8	8	515	514	22
4	8	6	144	182	75	8	4	7	56	193	56	0	0	8	2873	3097	42	0	8	8	965	1006	25
6	8	6	789	819	17	10	4	7	0	180	1	2	0	8	1084	1182	34	2	8	8	437	425	23
8	8	6	492	488	25	-11	5	7	479	446	43	4	0	8	2846	2901	55	4	8	8	773	786	18
-9	9	6	320	379	51	-9	5	7	394	390	33	6	0	8	72	174	72	6	8	8	395	384	28
-7	9	6	532	508	30	-7	5	7	832	844	20	8	0	8	594	580	58	8	8	8	726	684	24
-5	9	6	1054	1072	57	-5	5	7	1912	1959	37	10	0	8	930	870	29	-9	9	8	543	574	34
-3	9	6	973	906	42	-3	5	7	489	496	17	-11	1	8	223	233	67	-7	9	8	701	724	29

h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s
-1	9	6	1218	1188	21	-1	5	7	2029	1955	41	-9	1	8	644	586	25
1	9	6	1627	1607	18	1	5	7	309	287	22	-7	1	8	889	919	17
3	9	6	1078	1045	15	3	5	7	702	723	13	-5	1	8	1759	1891	24
5	9	6	701	666	19	5	5	7	1501	1599	15	-3	1	8	1912	2195	36
7	9	6	570	590	25	7	5	7	1647	1671	27	-1	1	8	2659	3081	38
-8	10	6	246	213	62	9	5	7	0	161	1	1	1	8	2993	3153	36
-6	10	6	718	792	25	-10	6	7	67	157	67	3	1	8	1962	1931	19
-4	10	6	466	449	29	-8	6	7	1290	1327	33	5	1	8	1277	1352	15
-2	10	6	1098	1042	29	-6	6	7	1620	1661	26	7	1	8	721	721	19
0	10	6	449	410	21	-4	6	7	787	762	18	9	1	8	256	306	40
2	10	6	849	826	19	-2	6	7	1392	1343	22	-12	2	8	1587	1462	39
4	10	6	104	108	103	0	6	7	3668	3603	50	-10	2	8	993	981	24
6	10	6	689	693	30	2	6	7	2022	2056	26	-8	2	8	459	433	30
-7	11	6	400	391	44	4	6	7	555	563	22	-6	2	8	2007	2114	29
-5	11	6	1473	1540	32	6	6	7	96	95	96	-4	2	8	3178	3452	45
-3	11	6	825	808	23	8	6	7	742	767	18	-2	2	8	305	294	17
-1	11	6	943	958	23	-11	7	7	532	515	84	0	2	8	2608	2816	19
1	11	6	806	810	21	-9	7	7	1395	1395	28	2	2	8	325	351	19
3	11	6	902	892	23	-7	7	7	350	359	35	4	2	8	1331	1439	18
5	11	6	15	107	14	-5	7	7	1221	1270	19	6	2	8	778	783	16
-6	12	6	388	429	48	-3	7	7	614	575	21	8	2	8	1503	1449	23
-4	12	6	0	54	1	-1	7	7	1280	1221	19	10	2	8	0	184	1
-2	12	6	991	968	22	1	7	7	838	859	18	-11	3	8	202	153	78
0	12	6	338	333	32	3	7	7	2818	2841	23	-9	3	8	305	323	42
2	12	6	150	160	150	5	7	7	606	614	18	-7	3	8	1307	1392	42
4	12	6	577	613	41	7	7	7	141	153	80	-5	3	8	1557	1594	25
-5	13	6	0	262	1	9	7	7	842	841	25	-3	3	8	1036	1151	28
-3	13	6	0	84	1	-10	8	7	1062	1112	35	-1	3	8	833	952	23
-1	13	6	1249	1337	27	-8	8	7	460	418	35	1	3	8	2984	3185	26
1	13	6	955	988	26	-6	8	7	743	733	24	3	3	8	2929	2935	34
3	13	6	1053	1111	31	-4	8	7	2575	2613	19	5	3	8	707	751	20
-4	14	6	475	474	57	-2	8	7	3224	3221	33	7	3	8	519	548	22
-2	14	6	389	364	44	0	8	7	1240	1280	36	9	3	8	689	640	21
0	14	6	811	821	32	2	8	7	298	305	25	-12	4	8	0	62	1
2	14	6	1010	1037	35	4	8	7	1676	1767	20	-10	4	8	1042	998	32
-13	1	7	859	770	37	6	8	7	671	691	21	-8	4	8	2209	2282	17
-11	1	7	90	25	89	8	8	7	435	469	31	-6	4	8	534	522	23
-9	1	7	891	867	22	-9	9	7	170	212	141	-4	4	8	1008	1045	18
-7	1	7	582	524	18	-7	9	7	342	362	39	-2	4	8	737	784	16
-5	1	7	2171	2369	36	-5	9	7	697	656	27	0	4	8	1906	1972	76
-3	1	7	383	378	18	-3	9	7	805	758	24	2	4	8	972	1060	18
-1	1	7	1033	1210	14	-1	9	7	1523	1496	20	4	4	8	1247	1302	14
1	1	7	1132	1291	24	1	9	7	15	114	14	6	4	8	117	175	117

h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s
2	10	9	1871	1917	37	-2	6	10	2800	2948	70	-4	4	11	1567	1627	44
4	10	9	1263	1286	28	0	6	10	558	581	54	-2	4	11	1182	1280	38
6	10	9	128	191	128	2	6	10	187	185	44	0	4	11	865	907	26
-7	11	9	1341	1514	32	4	6	10	1016	996	18	2	4	11	344	356	25
-5	11	9	935	961	35	6	6	10	1243	1186	19	3	4	11	264	231	33
-3	11	9	303	383	62	8	6	10	176	232	85	6	4	11	161	211	80
-1	11	9	1298	1325	34	-11	7	10	0	55	1	8	4	11	517	479	29
1	11	9	1283	1256	28	-9	7	10	866	852	24	-11	5	11	160	100	118
3	11	9	303	264	74	-7	7	10	229	269	70	-9	5	11	1062	1082	20
5	11	9	129	226	129	-5	7	10	746	847	28	-7	5	11	0	29	1
-6	12	9	637	710	41	-3	7	10	737	675	22	-5	5	11	869	899	25
-4	12	9	0	19	1	-1	7	10	912	985	33	-3	5	11	1332	1526	23
-2	12	9	1527	1713	139	1	7	10	70	90	69	-1	5	11	3104	3312	27
0	12	9	1177	1257	45	3	7	10	988	981	26	1	5	11	846	857	22
2	12	9	488	444	45	5	7	10	531	485	22	3	5	11	143	199	60
-3	13	9	1073	1144	30	7	7	10	433	426	27	5	5	11	1139	1108	19
-1	13	9	771	749	41	-10	8	10	538	534	34	7	5	11	1538	1501	45
1	13	9	272	262	77	-8	8	10	356	370	49	-10	6	11	362	370	41
-12	0	10	0	161	1	-6	8	10	983	1038	23	-8	6	11	1271	1314	21
-10	0	10	176	178	123	-4	8	10	369	381	43	-6	6	11	1382	1437	31
-8	0	10	763	796	27	-2	8	10	672	653	31	-4	6	11	925	899	16
-6	0	10	2618	2936	62	0	8	10	999	1004	20	-2	6	11	6	83	6
-4	0	10	1703	1941	20	2	8	10	1254	1241	18	0	6	11	1472	1480	38
-2	0	10	1018	1095	24	4	8	10	0	69	1	2	6	11	0	43	1
0	0	10	2809	2924	27	6	8	10	626	595	26	4	6	11	727	719	19
2	0	10	4244	4395	65	-9	9	10	463	542	38	6	6	11	555	563	23
4	0	10	465	475	23	-7	9	10	242	263	66	-9	7	11	385	393	38
6	0	10	908	842	31	-5	9	10	681	703	37	-7	7	11	585	511	28
8	0	10	755	761	27	-3	9	10	617	588	33	-5	7	11	1219	1273	25
-11	1	10	931	907	28	-1	9	10	1054	1112	23	-3	7	11	897	936	22
-9	1	10	621	628	28	1	9	10	485	446	29	-1	7	11	281	287	57
-7	1	10	495	464	26	3	9	10	953	968	19	1	7	11	1444	1456	23
-5	1	10	486	482	22	5	9	10	523	530	24	3	7	11	1774	1662	23
-3	1	10	499	512	15	-8	10	10	0	74	1	5	7	11	315	315	31
-1	1	10	180	189	28	-6	10	10	604	628	41	7	7	11	123	194	122
1	1	10	899	976	24	-4	10	10	194	170	95	-10	8	11	866	907	27
3	1	10	636	621	14	-2	10	10	786	753	39	-8	8	11	256	264	59
5	1	10	0	58	1	0	10	10	413	416	40	-6	8	11	718	739	33
7	1	10	595	547	20	2	10	10	666	592	27	-4	8	11	1709	1856	29
9	1	10	614	585	23	4	10	10	314	355	43	-2	8	11	1574	1592	34
-12	2	10	542	484	33	-7	11	10	0	189	1	0	8	11	479	453	25
-10	2	10	1551	1507	35	-5	11	10	1103	1192	36	2	8	11	145	170	75
-8	2	10	688	768	23	-3	11	10	746	743	34	4	8	11	688	657	37
-6	2	10	412	387	24	-1	11	10	1162	1263	47	6	8	11	350	354	33

h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	
-4	2	10	2250	2465	32	1	11	10	795	736	32	-9	9	11	916	946	28	
-2	2	10	3774	3839	19	3	11	10	630	606	50	-7	9	11	298	316	66	
0	2	10	1175	1231	23	-6	12	10	153	166	152	-5	9	11	101	81	101	
2	2	10	386	356	20	-4	12	10	441	447	52	-3	9	11	1305	1355	49	
4	2	10	1397	1442	14	-2	12	10	905	940	28	-1	9	11	2208	2272	35	
6	2	10	1408	1430	20	0	12	10	301	295	63	1	9	11	789	766	28	
8	2	10	176	204	65	2	12	10	188	206	149	3	9	11	440	419	34	
-11	3	10	585	576	30	-3	13	10	459	439	58	5	9	11	1188	1192	25	
-9	3	10	882	849	23	-1	13	10	646	692	37	-8	10	11	1434	1556	31	
-7	3	10	254	284	47	-11	1	11	316	235	40	-6	10	11	1256	1303	30	
-5	3	10	0	94	1	-9	1	11	1071	1086	18	-4	10	11	217	208	87	
-3	3	10	469	490	18	-7	1	11	261	243	48	-2	10	11	69	48	69	
-1	3	10	298	341	47	-5	1	11	881	964	12	0	10	11	1261	1301	25	
1	3	10	477	483	21	-3	1	11	2088	2289	22	2	10	11	449	404	39	
3	3	10	1226	1305	15	-1	1	11	11	1363	1484	14	4	10	11	832	828	24
5	3	10	1081	1074	18	1	1	11	483	504	35	-7	11	11	512	521	48	
7	3	10	132	166	132	3	1	11	941	930	18	-5	11	11	921	970	35	
9	3	10	434	408	33	5	1	11	681	687	17	-3	11	11	494	518	70	
-12	4	10	101	176	100	7	1	11	1168	1157	18	-1	11	11	287	351	53	
-10	4	10	367	326	51	-12	2	11	0	108	1	1	11	11	1264	1243	28	
-8	4	10	1197	1179	19	-10	2	11	249	260	57	3	11	11	1319	1290	47	
-6	4	10	2457	2632	16	-8	2	11	690	727	23	-4	12	11	1329	1472	45	
-4	4	10	759	802	19	-6	2	11	239	215	46	-2	12	11	796	782	39	
-2	4	10	743	782	22	-4	2	11	405	332	28	0	12	11	772	795	47	
0	4	10	2268	2350	44	-2	2	11	120	112	43	-12	0	12	0	126	1	
2	4	10	2884	2916	30	0	2	11	815	882	30	-10	0	12	651	606	34	
4	4	10	434	422	23	2	2	11	211	189	33	-8	0	12	966	1035	31	
6	4	10	391	345	50	4	2	11	107	49	106	-6	0	12	0	54	1	
8	4	10	684	630	25	6	2	11	286	254	40	-4	0	12	1970	2179	57	
-11	5	10	810	782	26	8	2	11	0	62	1	-2	0	12	356	353	29	
-9	5	10	110	87	110	-11	3	11	192	202	87	0	0	12	231	273	43	
-7	5	10	61	51	61	-9	3	11	680	680	24	2	0	12	1032	1022	31	
-5	5	10	752	828	19	-7	3	11	198	196	142	4	0	12	2589	2415	36	
-3	5	10	1038	1132	18	-5	3	11	1489	1554	28	6	0	12	243	267	62	
-1	5	10	822	873	34	-3	3	11	92	98	91	8	0	12	244	270	101	
1	5	10	0	80	1	-1	3	11	1282	1375	28	-11	1	12	787	778	31	
3	5	10	395	374	21	1	3	11	1559	1612	41	-9	1	12	795	870	24	
5	5	10	117	75	116	3	3	11	2016	1938	28	-7	1	12	1028	1056	26	
7	5	10	802	780	24	5	3	11	0	60	1	-5	1	12	2266	2414	49	
-10	6	10	1033	1052	26	7	3	11	590	573	25	-3	1	12	2788	2899	35	
-8	6	10	319	335	44	-10	4	11	927	925	25	-1	1	12	1593	1697	22	
-6	6	10	186	173	73	-8	4	11	41	195	41	1	1	12	671	734	25	
-4	6	10	1371	1446	29	-6	4	11	1018	1071	20	3	1	12	422	400	19	

h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s	h	k	l	10Fo	10Fc	10s
6	0	14	1101	1053	35	1	7	14	0	167	1	-6	6	15	623	627	36	2	4	16	1444	1411	19
-11	1	14	192	220	71	3	7	14	936	907	19	-4	4	16	1561	1497	27	-4	4	16	1561	1497	27
-9	1	14	0	37	1	-8	8	14	478	480	71	-2	6	15	543	560	35	-9	5	16	704	705	34
-7	1	14	285	313	37	-6	8	14	784	892	33	0	6	15	226	204	55	-7	5	16	704	705	34
-5	1	14	617	597	20	-4	8	14	0	98	1	2	6	15	0	19	1	-5	5	16	396	366	47
-3	1	14	1028	1006	21	-2	8	14	280	331	54	4	6	15	957	934	21	-3	5	16	926	917	34
-1	1	14	840	826	40	0	8	14	602	583	46	-7	7	15	1097	1118	29	-1	5	16	757	676	24
1	1	14	764	785	23	2	8	14	577	579	23	-5	7	15	1716	1735	29	1	5	16	292	328	41
3	1	14	926	874	24	-7	9	14	301	386	103	-3	7	15	777	812	23	3	5	16	0	95	1
5	1	14	628	620	29	-5	9	14	522	624	45	-1	7	15	340	315	64	-8	6	16	783	818	31
-10	2	14	1448	1481	24	-3	9	14	120	138	120	1	7	15	1119	1129	22	-6	6	16	125	27	125
-8	2	14	771	790	20	-1	9	14	871	865	31	3	7	15	1201	1160	19	-4	6	16	153	201	152
-6	2	14	40	108	39	1	9	14	420	439	37	-6	8	15	97	96	96	-2	6	16	775	756	41
-4	2	14	2133	2161	38	-6	10	14	563	541	45	-4	8	15	783	727	39	0	6	16	1194	1120	27
-2	2	14	2363	2474	43	-4	10	14	173	81	156	-2	8	15	0	76	1	2	6	16	93	174	92
0	2	14	127	188	127	-2	10	14	579	655	39	0	8	15	900	908	25	-7	7	16	804	837	33
2	2	14	817	823	23	0	10	14	0	134	1	2	8	15	720	728	21	-5	7	16	337	294	65
4	2	14	766	750	24	-9	1	15	796	860	21	-5	9	15	164	265	163	-3	7	16	399	446	76
6	2	14	931	947	25	-7	1	15	267	276	56	-3	9	15	1066	1108	29	-1	7	16	0	86	1
-11	3	14	0	114	1	-5	1	15	1096	1094	17	-1	9	15	1619	1534	57	1	7	16	619	648	29
-9	3	14	0	98	1	-3	1	15	968	937	29	1	9	15	411	399	44	-6	8	16	214	335	99
-7	3	14	159	223	88	-1	1	15	1142	1167	33	-2	10	15	193	249	113	-4	8	16	613	611	43
-5	3	14	801	822	27	1	1	15	166	205	83	-10	0	16	208	163	93	-2	8	16	0	55	1
-3	3	14	709	711	29	3	1	15	915	916	32	-8	0	16	198	221	89	0	8	16	527	460	35
-1	3	14	257	251	48	5	1	15	780	732	28	-6	0	16	1135	1065	22	-3	9	16	649	618	38
1	3	14	705	618	33	-10	2	15	85	102	84	-4	0	16	2356	2291	69	-1	9	16	0	122	1
3	3	14	1299	1286	19	-8	2	15	436	411	27	-2	0	16	796	735	52	-9	1	17	344	337	48
5	3	14	1193	1157	22	-6	2	15	0	25	1	0	0	16	292	321	71	-7	1	17	908	882	41
-10	4	14	111	186	110	-4	2	15	275	253	53	2	0	16	1588	1500	42	-5	3	18	681	617	38
-8	4	14	1132	1135	23	-2	2	15	146	170	86	4	0	16	2015	1944	66	-3	1	17	992	891	35
-6	4	14	1730	1895	54	0	2	15	274	294	32	-9	1	16	1117	1075	18	-1	1	17	634	492	42
-4	4	14	212	259	53	2	2	15	0	25	1	-7	1	16	1073	1029	16	1	1	17	1123	1041	20
-2	4	14	489	480	32	4	2	15	363	361	43	-5	1	16	1047	1030	28	3	1	17	743	565	29
0	4	14	1174	1057	38	-9	3	15	256	259	45	-3	1	16	787	732	35	-8	2	17	291	289	52
2	4	14	1265	1234	33	-7	3	15	695	682	31	-1	1	16	398	321	52	-6	2	17	649	615	28
4	4	14	611	594	25	-5	3	15	1615	1604	26	1	1	16	0	39	1	-4	2	17	192	141	192
6	4	14	702	708	24	-3	3	15	69	73	68	3	1	16	291	199	46	-2	2	17	73	66	73
-9	5	14	340	357	51	-1	3	15	350	410	27	-10	2	16	388	384	34	0	2	17	0	139	1
-7	5	14	632	602	34	1	3	15	1171	1130	37	-8	2	16	999	982	37	2	2	17	485	445	32
-5	5	14	24	121	24	3	3	15	1706	1647	20	-6	2	16	298	283	50	-9	3	17	329	306	53
-3	5	14	92	72	91	5	3	15	446	414	35	-4	2	16	138	202	138	-7	3	17	491	490	38
-1	5	14	983	1038	46	-10	4	15	577	644	61	-2	2	16	1513	1464	44	-5	3	17	519	496	30
1	5	14	810	762	22	-8	4	15	146	22	145	0	2	16	1764	1680	41	-3	3	17	982	907	54
3	5	14	159	202	64	-6	4	15	438	425	45	2	2	16	399	374	30	-1	3	17	392	195	86

5	5	14	440	415	27	-4	4	15	621	603	34	4	2	16	126	90	126	1	3	17	638	617	32	-6	2	19	202	167	131
-8	6	14	267	340	76	-2	4	15	0	37	1	-9	3	16	717	703	30	3	3	17	1101	1008	23	-4	2	19	428	299	79
-6	6	14	122	128	122	0	4	15	815	822	34	-7	3	16	989	980	23	-8	4	17	833	827	30	-2	2	19	307	199	86
-4	6	14	1089	1122	29	2	4	15	262	303	35	-5	3	16	599	593	28	-6	4	17	121	201	121	0	2	19	656	5	31
-2	6	14	1691	1740	28	4	4	15	0	88	1	-3	3	16	211	247	71	-4	4	17	668	597	34	-5	3	19	867	864	36
0	6	14	73	97	73	-9	5	15	908	978	30	-1	3	16	100	156	99	-2	4	17	861	809	48	-3	3	19	126	86	126
2	6	14	616	606	33	-7	5	15	370	382	48	1	3	16	353	366	31	0	4	17	804	681	65	-1	3	19	738	410	59
4	6	14	603	563	25	-5	5	15	0	50	1	3	3	16	68	37	68	2	4	17	204	268	66	-4	4	19	286	111	80
-9	7	14	431	428	47	-3	5	15	1304	1322	24	-8	4	16	332	345	58	-7	5	17	708	697	46	-4	0	20	1498	1429	56
-7	7	14	0	44	1	-1	5	15	1665	1640	20	-6	4	16	1010	971	30	-5	5	17	112	72	112	-3	1	20	319	209	80
-5	7	14	1044	1045	44	1	5	15	336	333	39	-4	4	16	1695	1649	30	-3	5	17	317	280	66						
-3	7	14	355	347	27	3	5	15	354	399	30	-2	4	16	133	161	132	-1	5	17	938	864	35						
-1	7	14	488	499	53	-8	6	15	836	860	32	0	4	16	309	283	59	1	5	17	1466	1322	33						